

**From:** [Stuber, Robyn](#)  
**To:** [DiSimone, Katie@Waterboards](mailto:DiSimone.Katie@Waterboards)  
**Subject:** RE: Pismo Draft  
**Date:** Tuesday, May 26, 2015 4:14:00 PM  
**Attachments:** [draft WET requirements - ras.docx](#)  
[image001.png](#)

---

Hi Katie,

This is long overdue, but I thought you still might find it somewhat useful when developing WET permit conditions. The attached file includes my comments on both the Pismo language and language being used by RB4 for non-ocean POTW discharge permits. Let me know if you'd like to discuss any of my comments.

Thanks,  
Robyn

**ROBYN A. STUBER** • (415) 972-3524  
U.S. EPA REGION 9 • NPDES PERMITS SECTION (WTR-2-3)  
75 HAWTHORNE STREET • SAN FRANCISCO, CA 94105

---

**From:** DiSimone, Katie@Waterboards [mailto:Katie.DiSimone@waterboards.ca.gov]  
**Sent:** Thursday, April 30, 2015 9:05 AM  
**To:** Stuber, Robyn  
**Subject:** FW: Pismo Draft  
**Importance:** High

---

**From:** DiSimone, Katie@Waterboards  
**Sent:** Wednesday, April 29, 2015 12:33 PM  
**To:** Soderberg, Sheila@Waterboards; Isorena, Philip@Waterboards; Villanueva, Ariana@Waterboards  
**Subject:** Pismo Draft

So, here's the cleaned up version of the Pismo WWTP draft permit

Of note: I'm still needing to finish some small details (or large depending on your point of view)  
However, the permit is cleaned up enough that I think it is appropriate to start on your final review.

1. Update population (page F-3), pismo to send
2. Update flow scheme (attachment C), pismo to send
3. Get clarification of Phil's comment regarding dilution ratio (page F-4) Not sure what he's looking for here.
4. Pretreatment and Recycled water sections need to be cleaned up significantly because they do not match the discharger's existing programs (i.e., they have none really, so mostly these sections will be shortened a LOT)
5. I've included the language for the DMR-QA study program, but I'm waiting on Renee Spears to confirm that should be in there. (page E-3 and F-30)

6. I will be sending this draft permit to Debra Denton et al for input on the toxicity portion of the permit. R3 will be following EPA guidance on toxicity testing and reporting, and I'd like to receiving the new permit language they'd like to be included in the permits. I don't have that yet, and I don't want to sit much longer on this next review awaiting it. So...I'll keep you in the loop when I get it.

Katie DiSimone, P.E.

California Regional Water Quality Control Board, Central Coast Region

895 Aerovista Place, Suite 101

San Luis Obispo, CA. 93401-7906

<http://www.waterboards.ca.gov/centralcoast/>

[katie.disimone@waterboards.ca.gov](mailto:katie.disimone@waterboards.ca.gov)

(805)542-4638 (due to schedule, please use email as preferred communication)